INDEX TO SCIENTIFIC NAMES

HERPETOLOGICA

Volume 44 December 1988

Abronia 154, 157
deppii 156
graminea 156
kalaina 156
oaxacae 156
taeniata 156
Acacia 370
Acanthodactylus scutellatus 196
Acanthophis antarcticus 400
Acer glabrum 378
Acrantophis madagascariensis 401
Acrochordus javanicus 258
Adelphicos daryi 416, 419–422
***ibarrorum* 416–422**
latifasciatus 420–421
nigrilatus 416, 419–421
quadrivirgatus 416
veraepacis 416, 419–422
Adocus 442–444, 448
Afrixalis 251
brachycnemis 1–7
Afrocaecilia 294
taitana 290–291, 295
Agalychnis 251
Agama agama 111–112
agama africana 108–111
Ageratina 349
Agkistrodon acutus 81
contortrix 190, 228
contortrix laticinctus 81
halys blomhoffi 82
piscivorus 82
Akrochelys 447
Allaeochelys 441–442, 445–448
Alsophis 55, 59, 61, 64, 67–68
anomalus 56
cantherigerus 56, 58, 60, 62–63, 66
melanichnus 56
Amblystoma velasci 429
Ambystoma jeffersonianum 274, 278, 280, 392
lacustris 427–429
laterale 274, 278, 280
maculatum 274–275, 278, 392
opacum 274–275, 277
subsalsum 430
talpoideum 275, 277, 280
texanum 275, 277
tigrinum 274, 277–279, 428–429
tigrinum velasci 427
velasci 427–430
Ameiva 56–57, 67
chrysolaema 55, 59–64, 66
taeniura 62
Ammospermophilus leucurus 231
Amphibolurus 108
muricatus 110
sp. 110
Andropogon spp. 346, 351
Aneides aeneus 135, 138–139, 141, 250, 384
ferreus 250
flavipunctatus 250
hardii 250
lugubris 250
Anolis 57
aeneus 369–371, 373, 375–376
armouri 62
carolinensis 196, 270
caudalis 62
chlorocyanus 62
coelestinus 55, 59–63
cybotes 55–56, 59–65
distichus 59–63
limifrons 342
olssoni 59–64
semilineatus 59–60, 62
spp. 63
Anomalophis 258
Anomalopsis 258
Anosteira 441–442, 445, 447, 449
manchuriana 446
Anostira 446
Antillophis 55, 59, 61
parvifrons 56, 58, 60, 62–67, 69
Apholidemys 446–447
Aristida 345, 347–348, 350–352
spp. 346
stricta 235
Arrhyton 67
Artemisia filifolia 183
monosperma 354
tridentata 183, 229
Asclepias 349
Aspidites melanocephalus 401–402
Aster 349
Atriplex confertifolia 229
Aureolaria 348, 351
Baccharis 349
Balduina 349
Baptisia 350
Barisia 154–155, 157
imbricata 156
Basilemys 442–444, 448
Batagur baska 321
Batrachoseps 244, 248
attenuatus 243, 246–247, 250, 384
campi 245, 250
major 250
wrighti 245, 250
Berlandiera 349
Bolitoglossa 243, 334
brevipes 105–106

INDEX TO SCIENTIFIC NAMES

HERPETOLOGICA

Volume 44 December 1988

Abronia 154, 157
deppii 156
graminea 156
kalaina 156
oaxacae 156
taeniata 156
Acacia 370
Acanthodactylus scutellatus 196
Acanthophis antarcticus 400
Acer glabrum 378
Acrantophis madagascariensis 401
Acrochordus javanicus 258
Adelphicos daryi 416, 419–422
***ibarrorum* 416–422**
latifasciatus 420–421
nigrilatus 416, 419–421
quadrivirgatus 416
veraepacis 416, 419–422
Adocus 442–444, 448
Afrixalis 251
brachycnemis 1–7
Afrocaecilia 294
taitana 290–291, 295
Agalychnis 251
Agama agama 111–112
agama africana 108–111
Ageratina 349
Agkistrodon acutus 81
contortrix 190, 228
contortrix laticinctus 81
halys blomhoffi 82
piscivorus 82
Akrochelys 447
Allaeochelys 441–442, 445–448
Alsophis 55, 59, 61, 64, 67–68
anomalus 56
cantherigerus 56, 58, 60, 62–63, 66
melanichnus 56
Amblystoma velasci 429
Ambystoma jeffersonianum 274, 278, 280, 392
lacustris 427–429
laterale 274, 278, 280
maculatum 274–275, 278, 392
opacum 274–275, 277
subsalsum 430
talpoideum 275, 277, 280
texanum 275, 277
tigrinum 274, 277–279, 428–429
tigrinum velasci 427
velasci 427–430
Ameiva 56–57, 67
chrysolaema 55, 59–64, 66
taeniura 62
Ammospermophilus leucurus 231
Amphibolurus 108
muricatus 110
sp. 110
Andropogon spp. 346, 351
Aneides aeneus 135, 138–139, 141, 250, 384
ferreus 250
flavipunctatus 250
hardii 250
lugubris 250
Anolis 57
aeneus 369–371, 373, 375–376
armouri 62
carolinensis 196, 270
caudalis 62
chlorocyanus 62
coelestinus 55, 59–63
cybotes 55–56, 59–65
distichus 59–63
limifrons 342
olssoni 59–64
semilineatus 59–60, 62
spp. 63
Anomalophis 258
Anomalopsis 258
Anosteira 441–442, 445, 447, 449
manchuriana 446
Anostira 446
Antillophis 55, 59, 61
parvifrons 56, 58, 60, 62–67, 69
Apholidemys 446–447
Aristida 345, 347–348, 350–352
spp. 346
stricta 235
Arrhyton 67
Artemisia filifolia 183
monosperma 354
tridentata 183, 229
Asclepias 349
Aspidites melanocephalus 401–402
Aster 349
Atriplex confertifolia 229
Aureolaria 348, 351
Baccharis 349
Balduina 349
Baptisia 350
Barisia 154–155, 157
imbricata 156
Basilemys 442–444, 448
Batagur baska 321
Batrachoseps 244, 248
attenuatus 243, 246–247, 250, 384
campi 245, 250
major 250
wrighti 245, 250
Berlandiera 349
Bolitoglossa 243, 334
brevipes 105–106

cerroensis 250
colonnea 250
cuchumatana 250
dofleini 250
dunni 250
engelhardti 250
flavimembris 250
franklini 105–107
franklini nigroflavescens 106–107
hartwegi 107, 250
helmrichi 250
lincolni 105–107, 250
meliana 105, 107
minutula 245, 247–248, 250
morio 250
nigroflavescens 105–106
platydactyla 250
resplendens 105–107
robusta 250
rostrata 250
rufescens 244–245, 247–248, 250
striatula 250
subpalmata 244, 246, 250
Bothrops asper 80
atrox 82
Boulengerula 294
Bradytriton 244, 247
silus 250
Bromus tectorum 229
Bufo arenarum 117
crucifer 426
microscaphus 325–332
valliceps 251–255
woodhousii 325–332
Bulbostylis 349
Buteo galapagoensis 11
Caecilia occidentalis 295
Candoia bibroni 401
Carettochelys 441–442, 444–446, 448
insculpta 440, 443
Carex 349
Carphephorus 349
Carphophis 259
Castor canadensis 198
Castresia 446
Celestes 61
Centrosema 350
Cerratoides lanata 229
Chamaeleo hoehneli 190
Chamaesyce 349
Chamoecrista 350
Chauliognathus 22–23
marginatus 18
Chelodina longicollis 89
Chelonia mydas 86
Chelydra serpentina 15, 86
Chiromantis 251
Chiropterotriton 244, 247
chiropterus 250
chondrostega 250
dimidiatus 245, 250
lavae 250
magnipes 250
multidentatus 250
Chorlakkichelys 441–442, 445–446, 448
Chrysemys 86
limnodytes 323
picta 197–201
picta bellii 198–201
picta picta 197–201
platymarginata 317–319
scripta petrolei 318
Chrysopsis 349
Chthonerpeton indistinctum 295
Claudius angustatus 15
Clemmys insculpta 86
marmorata 197, 199–201
Clubiona 20, 22–23
sp. 18
Cnemidophorus 272
tigris 176, 179–182, 231
tigris gracilis 178, 182–183
tigris marmoratus 182–183
tigris septentrionalis 176–180, 182–183
tigris tigris 176–183
velox 271
Cnidoscolus 345, 347–348, 350, 352
Coleonyx elegans 152
switaki 143–144, 148, 150, 152–153
switaki gypsicolus 148, **150**, 154
switaki switaki 154
variegatus 152
Coloptychon 154
Coluber constrictor 401
viridiflavus 39
Corallus canina 401
Cricosauria 286–287
typica 288
Crossodactylus trachystomus 426
Crotalaria 350
Crotalus adamanteus 72, 80–83, 119
atrox 72, 82–83, 119–122
confluentus 80
durissus terrificus 71, 78
horridus 81
horridus atricaudatus 119
horridus horridus 119
intermedius 125–126
lepidus 124
mitchellii 120–121
mitchellii pyrrhus 80
pusillus 123, 125–126
ruber 119, 122
scutulatus 119–122
scutulatus scutulatus 79, 119–122
stejnegeri 124
triseriatus 125–126
unicolor 119
viridis 119–122, 228, 231
viridis concolor 71–72, 78, 83
viridis helleri 71, 83, 119, 122
viridis lutosus 71–72, 74–76, 79–83
viridis oreganus 80, 119, 228
viridis viridis 71, 78, 83, 119–122, 301
Crotaphytus collaris 270, 414
Croton 350
Crotonopsis 350
Cyperus 348–349

Dalea 350
Darlingtonia 59, 61, 65, 67, 69
haetiana 55–56, 58, 60, 62, 64, 66
Deirochelys reticularia 214
Dendrophidion bivittatum 163, 170–171, 174
bivittaum 171
boshelli 163, 165, 170–172, 174
brunneum 163, 166, 170–172, 174
clarkii 162–163, 166
dendrophis 162–167, 169–170, 173–174
nuchalis 162–163, 166–170, 173–174
paucicarinatum 163, 166, 170–172, 174
percarinatum 163, 170–172, 174
sp. 167
vinitor 163–167, 169–171, 173, 175
Dendrotriton 247, 334
bromeliacia 250
cuchumatana 250
rabbi 250
Dermatemys mawi 321
Dermophis mexicanus 290, 295
Desmodium 350
Desmognathus 279
fuscus 107, 218, 248, 250, 384
imitator 185
monticola 218, 226–227, 250, 384, 392–394
ochrophaeus 107, 185–188, 218, 226–227, 250, 334, 336
quadramaculatus 218–227, 250, 392–394
welteri 226
wrighti 218, 245, 248, 250
Diadophis 259
Dicamptodon copei 274, 277–279
ensatus 274, 277, 279
Dichanthelium 351
Diodia 345, 350, 352
Diospyros 349
Dipodomys ordii 231
spp. 230
Dipsosaurus dorsalis 272, 411, 413
Disonycha 23
glabrata 18
Drosophila 117, 186, 260, 380–381, 335
virilis 204, 386–388
Drymobium dendrophis 166
Drymobius dendrophis 166
Dyschoriste 348–349, 352
Echiochilon fruticosum 354
Elaphe 259
obsoleta 53
obsoleta obsoleta 48
Elephantopus 349
Eleutherodactylus 55–56, 61, 65–66, 69
abbotti 59–60, 62
binotatus 423, 426
coqui 1, 6
epipedus 423, 426
erythromerus 423, 426
gualteri 423, 426
guentheri 423, 426
henselii 423
hoehnei 423
***iziecksohni* 423**–426
jutpoca 423
nasutus 423, 426
octavioi 423
oeus 423, 426
pliciferus 423
Elgaria cedrosensis 154–155, 160–161, 431–436, 439
coerulea 154–155, 157–161, 435
kingii 154–161, 435
multicarinata 154–161, 431–437, 439
multicarinata webbi 431, 436–438
panamintina 154–161, 435
parva 154–155, 160–161, 435
paucicarinata 154–161, 431–439
paucicarinata cedrosensis 436–439
paucicarinata paucicarinata 437–439
Emilia 349
Emydura macquarii 86–88
signata 88
Emys orbicularis 86
Ensatina 334
eschscholtzi 250
Epicrates 58
cenchria 400
striatus 66
Eretmochelys imbricata 130
Eriogoneum 347
Eriogonum 348, 350
Eucalyptus sp. 400
Eumeces egregius 190, 196
Eupatorium 349
Euproctus 308
Eurycea bislineata 250
longicauda 141
lucifuga 141
wilderae 219
Euschistus 22–23
servus 18
Felis domesticus 15
Ferrocactus acanthodes 405
Fimbristylis 349
Fouquieria splendins 405
Gaigeia 281, 287
Galactia 345, 347–348, 350–351
spp. 346
Galium 350
Gegeneophis carnosus 295
Gekko gecko 266–272
Genipa 216
americana 215
Geochelone 210
carbonaria 209, 211–216
denticulata 209, 211–216
elephantopus 11, 14
elephantopus vandenburghi 11–14
gigantea 15, 86, 214
pardalis 15
Geocrinia laevis 1
victoriana 2, 6
Geotrypetes 294
seraphini 295
Gerrhonotus 154
coeruleus 272
lugio 160
lugoi 155
Gopherus 441
agassizii 354, 357–358
berlandieri 352, 357

polyphemus 214, 345, 353
spp. 352
Grandisonia alternans 290–291, 293–295
brevis 290–293, 295
diminutiva 290
larvata 290–293, 295
sechellensis 290–291, 293, 295
Graptemys 86, 88, 320
geographica 201
Gryllus 23
sp. 18
Gymnopis multiplicata 290, 295
Gyrinophilus porphyriticus 141, 250
Hedyotis 351–352
Helianthemum 349
Heliconia 210
Helochelydra 447
Hemichelys 448
Hemidactylus frenatus 269–270
Herpetodryas aestivus 170
dendrophis 163–165
nuchalis 162, 166, 168
poiteaui 164
poitei 162–165
Heterodon 259
Heterotheca 349
Hieracium 349
Holbrookia propinqua 190–191, 193, 195–196
Hydromantes 247
italicus 250
platycephalus 250
shastae 250
Hyla andersoni 392
cinerea 18, 20, 22, 251–256, 261, 263–264, 332
cruicifer 255
ebraccata 1–2
faber 426
femoralis 255
gratiosa 255, 332
microcephala 1
minuta 426
polytaenia 426
Hylodes sp. 426
Hyperolius 251, 256
marmaratus 255, 264
viridiflavus 255
Hypogeophis guentheri 294
rostratus 290–295
seraphini 294
Hypsirhynchus 55, 61, 67–68
ferox 56, 58, 60, 62, 64, 66
Ialtris 59
dorsalis 56, 58, 62, 66, 69
Ichthyophis 294
beddomei 295
glutinosus 295
kohtaoensis 295
orthoplicatus 295
Iguana iguana 343
Indigofera 350
Ipomoea 349
Kinixys belliana 357–358
Kizylkumemys 441–442, 445–448
Klauberina riversiana 270
Krigia 349
Lacerta viridis 270
vivipara 38, 45
Lactuca 349
Lampropeltis 259
Larrea tridentata 183
Lechea 349
Leiocephalus 56, 61, 63, 67
melanochlorus 59, 62
personatus 59, 62
spp. 60
vinculum 62
Lepidophyma dontomasi 281, 283, 286–289
flavimaculatum 287
gaigeae 286–288
mayae 281, 283, 289
micropholis 281, 283, 285–289
occulor 281, 283, 287, 289
pajapanensis 287
radula 281, 283, 286–289
smithii 281, 285, 287
sylvaticum 287–288
tarascae 281, 289
tuxtlae 287
Leptochelys braneti 447
Leptodeira annulata polysticta 190
Leptophis depressirstris 53
Leptotyphlops asbolepis 104
Leurognathus marmoratus 226
Lialis burtonis 272
Liasis boa 401
childreni 401
mackloti 401
Liatris 349
gracilis 346
Licania 349
Lichanura roseofusca 401
Lineatriton 244, 247–248
lineola 245, 250
Liophis 65
Litoria 251, 263
Ludwegia stolonifera 3
Lycium europaeum 354
Lycopersicon esculentum var. *minor* 352
Malaclemys 320
centrata 86
Mauritia 210
Maurolicus 245
Maximiliana 210
Mesaspis 154–155, 157
gadovii 156
monticola 156
moreleti 156
viridiflava 156
Mesotriton 312
Microtus spp. 228, 233
montanus 231
Moltkiopsis ciliata 354
Morelia boeleni 401
spilota 396, 402
spilota spilota 397, 400–402
spilota variegata 397, 402
Mus 61–62, 66
musculus 59–60, 63, 230–231
Musca 23
domestica 19–21

Naja nigricollis 82
Necturus maculosus 270
Neotoma lepida 231
Neotriton 312
Nerodia 402
sipedon insularum 452
Nesomantis thomasseti 113–118
Nesophontes zamicrus 66
Neurada procumbens 354
Neusticurus ecpleopus 341
Notophthalmus 235, 237–238, 241, 308
viridescens 234
viridescens dorsalis 234
viridescens viridescens 239
Nototriton 243, 247
picadoi 244–246, 250
Nyctanolis 244, 247
pernix 250
Odontophrynus cultripes 426
Oebalus 22–23
pugnax 18
Oedipina 243, 247
parvipes 244, 250
poelzi 244–246, 250
pseudouniformis 245, 250
sp. 250
uniformis 244–246, 250
Olneya tesota 405
Ololygon duartei 426
longilinea 426
Ondatra zibethicus 231
Opuntia 349, 352
bigelovii 405
Oreodeira gracilipes 108–112
Osteopilus 61, 69, 251
dominicensis 55, 59–60, 62–64, 66
septentrionalis 255
Oxalis 350
Pachymedusa 251
dachnicolor 95
Pachyptila turtur 36
Palaeochelys novemcostatus 447
Paleotriton 312
Panacum turgidum 354
Parthenocissus 351
Parvimolge 244, 247–248
townsendi 245, 250
Paspalum 351
Pelamis 258
Peltochelys 441, 447–449
duchastelli 440, 442–445
Perognathus parvus 231
Peromyscus maniculatus 230–231
Phaeognathus hubrichti 250
Philautus leucorhinus 1
Philodryas 67
Phoebanthus 348–349
Phrynocephalus 108
Phrynosoma cornutum 270
platyrhinos 231
Phyllomedusa 251
***atelopoides* 91–95**
buckleyi 95
cochranae 95
exilis 95
fimbriata 95
guttata 95
jandaia 95
lemur 95
marginata 95
medinae 95
palliata 94
psilopygion 95
sauvagei 255
tarsius 95
tomopterna 95
vaillanti 95
Physalaemus pustulosus 1–2
Pinus 345, 347–348, 350–352
elliottii 346
palustris 235, 346
rigida 49
Pituophis melanoleucus 48, 228, 231
melanoleucus melanoleucus 48
melanoleucus sayi 228
Pityopsis 345, 347–349, 351–352
graminifolia 346
Plethodon 279, 334
aureolus 142
caddoensis 136, 142
cinereus 107, 203–205, 208, 250, 377–378, 384–388, 391, 392
dorsalis 141
dunni 250
elongatus 250
fourchensis 136, 142
glutinosus 107, 135–139, 141–142, 250, 384
jordani 140, 142, 185–186, 203, 250, 384
kentucki 142
larselli 250
ouachitae 136–137, 142, 250
***petraeus* 135–142**
richmondi 107, 250
teyahalee 142
vandykei 250
vehiculum 250, 377–385
wehrlei 140
welleri 250
yonahlossee 107, 136–142, 250
Pleurodeles waltl 308–310, 316
Pleurosternon 443, 447
Poa sandbergii 229
Podarcis bocagei 45
muralis 38–43, 45
sicula 45
taurica 45
tiliguerta 45
Polygala 350
Polygonella 348, 350
Polygonum pulchrum 3
Polygyra 21, 23
sp. 19
Praslinia 294
cooperi 290–293, 295
Pseudanosteira 441–442, 445–446, 449
Pseudechis porphyriacus 400
Pseudemys 323
alabamensis 320

concinna 324
floridana 320–321, 324
idahoensis 317, 319–321
nelsoni 318, 320–321
rubriventris 199–201, 317, 319–320, 324
scripta 14
Pseudoeurycea 244, 247, 334
belli 250
brunnata 250
cephalica 250
juarezi 250
leprosa 250
melanomolge 250
rex 250
robertsi 250
smithi 250
Pseudotrionyx 446
Pseudotriton ruber 250
Pseudotsuga 378
Ptenosphenus 258
Pterosphenus 258
Ptyodactylus hasselquisti 270
Puffinus carneipes 36
Python curtus 401
molurus 396, 400–401
reticulatus 400
Quercus 345, 347–348, 350–351
geminata 346
laevis 235, 346
marylandica 49
Rana 240
berlandieri 332
blairi 332
okaloosae 135
pipiens 392
sphenocephala 261, 263–264
sylvatica 392
utricularia 332
virgatipes 392
Rattus exulans 36
Regina alleni 228
Retama raetam 354
Rhexia 350
Rhyacotriton olympicus 274–277, 279–280
Rhynchosia 350
Richardia 345, 347, 351–352
Rubus 345, 348, 350, 352
Ruellia 349
Rumex 350
Salamandra 308
Sarcobatus vermiculatus 229
Sauresia agasepsoides 104
Sauromalus obesus 404–405
Scaphiopus intermontanus 231
Sceloporus anahuacus 297–299, 301, 303–306
grammicus 297–304
grammicus microlepidotus 297–299, 303–306
jarrovi 272
magister 270
occidentalis 270
palaciosi 297–299, 301, 303–306
undulatus 271
Schistometopum gregorii 294
Schrankia 350
Scleria 349
Scolecomorphus 294
Scutellaria 350
Serenoa 349
repens 346
Siphonops paulensis 295
Siredon tigrina 429
Sistrurus catenatus 53, 123–126
catenatus catenatus 119
miliarius 123–126
ravus 123–125
ravus brunneus 124
ravus exiguus 124
Sisyrinchium 350
Smilax 348, 351
Smilisca 2
sila 8, 10
Solidago 349
Sooglossus gardineri 113–118
sechellensis 113–117
Sorex araneus 386
Spermophilus beecheyi 228
townsendii 230–231
Sphaerodactylus 59, 61, 63
altavelensis 99–100, 104
argus 100
armstrongi 96, 103–104
clenchi 98
cochranae 98–99
cryphius 96, 103–104
darlingtoni 100–101, 103–104
difficilis 98, 103–104
***ladae* 96**–101, 104
lazelli 98–99
leucaster 96, 99
notatus 98
nycteropus 96, 103–104
ocoae 98
omoglaux 96, 103–104
***perissodactylius* 96, 101**–104
randi 98
savagei 98
shrevei 99
streptophorus 96, 103–104
williamsi 104
zygaena 98–99
Sphenodon 26, 33, 35–36
punctatus 25
Spilotes pullatus 53
Spodoptera 23
frugiperda 18
Sternotherus odoratus 86
Stillingia 350, 352
Stipagrostis scoparia 354
Strobilurus torquatus 108
Stylosanthes 350
Stylisma 349
Syllomus 447
Sylvilagus nuttallii 230–231
Tachycnemis seychellensis 290
Tantilla coronata 53
Taricha 308
Telmatobufo australis 458, 460

bullocki 458–460
venustus 458, 460
Tephrosia 345, 347–348, 350
spp. 346
Terrapene carolina 318
Testudo elephantopus porteri 352
hermanni 357
kleinmanni 354
Teucrium 350
Thamnophis 259, 402
butleri 456
elegans 272, 456
ordinoides 456
sirtalis 58, 451–455
sirtalis parietalis 196
Thorius 243–245, 247
narisovalis 250
sp. (Guerrero) 250
sp. (Las Vigas, Veracruz) 250
sp. (Oaxaca) 250
troglodytes 250
Thuja occidentalis 49
plicata 378
Tillandsia 345, 347–349, 352
Trachemys 201
bisornata 318
delicata 318
euglypha 318
hilli 317, 322–324
idahoensis 320–324
inflata 317, 323
jarmani 318
nuchocarinata 318
petrolei 318
platymarginata 319–322
scripta 317–323
scripta bisornata 318
scripta callirostris 321
scripta cataspila 321
scripta chichiriviche 321
scripta elegans 318, 321–323
scripta petrolei 318
scripta scripta 318, 322
sculpta 318
trulla 318
Trachops cirrhosus 8, 10
Trachyaspis aegypticus 447
Tragia 350, 352
Tretosternon 447
Trichostema 350
Trionyx 88
spiniferus 86
Triturus alpestris 307, 309–314
alpestris alpestris 308, 311, 313, 315
alpestris apuanus 308, 311, 315
alpestris cyreni 313
boscai 307–308, 311–312, 315
carnifex 307–312, 314–316
cristatus 307–314, 316
dobrogicus 307–308, 311–312, 316
helveticus 307–314, 316
italicus 307–308, 311–312, 316
karelini 307–309, 311–312, 316
marmoratus 307–314
marmoratus marmoratus 308–309, 312, 316
marmoratus pygmaeus 308–309, 311–313, 316
meridionalis 312
montandoni 307–309, 311–312, 314, 316
vittatus 307, 312
vittatus ophryticus 308, 311, 316
vulgaris 240, 307–308, 311–312, 334
vulgaris meridionalis 308, 311, 313, 316
vulgaris vulgaris 308, 311–313, 316
Trogonophis wiegmanni 270
Tropidolepis africanus 108, 110–112
Tropidurus spp. 15
Typhlonectes compressicaudus 294–295
natans 294–295
Typhlops sulcatus 104
Uma notata 270
Uraeotyphlus menoni 295
narayani 295
Uromacer catesbyi 57–58, 60–62, 64, 66–69
frenatus 57–58, 60–69
oxyrhynchus 55, 57–58, 60–64, 66–69
Uta stansburiana 196, 231
Vaccinium 345, 347–349
Varanus acanthurus 341–342
bengalensis 341, 343
dumerili 341
giganteus 341
gilleni 341
gouldii 341, 343
indicus 338, 340–343
komodensis 341, 343
monitor 342
niloticus 343
panoptes 341
salvator 272, 341
Viola 351
Vipera berus 233, 455
palestinae 82
Virginia 260
Xantusia 286–288
Xenodon 259
Xerobates agassizii 15
Xyris 351
Zornia 350

TOPICAL INDEX

HERPETOLOGICA

Volume 44 December 1988

ACID TOLERANCE, *Desmognathus quadramaculatus* and *D. monticola* (behavioral assay) 392–395.

ALBUMIN, evolution in spp. of *Triturus* 307–316.

ALLOZYMES, *Bolitoglossa lincolni, B. resplendens,* and *B. franklini* compared 105–108; hybrid *Bufo microscaphus* × *B. woodhousii* 325–333; hybrid *Crotalus s. scutulatus* × *C. v. viridis* 119–123; *Elgaria* (comparisons among 5 spp.) 154–162; *Plethodon petraeus* 135–143; 3 spp. of sooglossid frogs (genetic distances and heterozygosity) 113–119; *Sceloporus grammicus* complex 297–307.

ANATOMY, *Holbrookia propinqua* (oviduct related to sperm storage)190–197; *Lepidophyma* (scale surface microstructure) 281–289; *Rhyacotriton olympicus* (cloacal vent gland) 274–280; *Sauromalus obesus* (testis and male reproductive tract) 404–415.

BASKING, *Chrysemys picta picta* (aggression) 197–202.

BEHAVIOR, *Afrixalus brachycnemis* (response to components of advertisement call) 1–7; *Chrysemys picta picta* (aggressive basking behavior) 197–202; red-leg and red-cheek *Desmognathus ochrophaeus* (mate choice experiments) 185–189; *Desmognathus quadramaculatus* and *D. monticola* (behavioral assay for acid sensitivity) 392–395; *Gekko gecko* (thermoregulatory behavior) 266–273; *Geochelone carbonaria* and *G. denticulata* (reproductive behavior related to body dimensions and sexual selection theory) 209–217; *Geochelone elephantopus* (defensive) 11–17; *Hyla cinerea* (feeding) 18–24; *Morelia spilota* (reproductive) 396–404; *Plethodon cinereus* (female territorial defensive behavior) 203–209; *Plethodon cinereus* (male territorial disputes) 386–391; *Plethodon vehiculum* (spacing and movements) 377–386; *Smilisca sila* (calling pattern related to ambient light) 8–10.

CHROMOSOMES, caecilians 290–296.

CLADOGRAMS, genera of Trionychoidae 442.

CLOACAL GLANDS, *Rhyacotriton olympicus* (unique male vent gland) 274–280.

COLOR POLYMORPHISM, red-cheek and red-leg *Desmognathus ochrophaeus* (non-random association of these morphs) 185–189.

CONSUMPTION RATES, *Crotalus viridis* and *Pituophis melanoleucus* (SW Idaho) 228–233.

COURTSHIP, *Desmognathus ochrophaeus* (female multiple courtships) 334–337; *Morelia spilota* 396–404.

DEMOGRAPHY, *Podarcis muralis* (in SW France) 38–47; *Sphenodon punctatus* (based on skeletochronology) 25–37.

DIET, *Crotalus viridis* and *Pituophis melanoleucus* (SW Idaho) 228–233; *Gopherus polyphemus* (WC Florida) 345–353; 8 spp. of xenodontine snakes (Hispaniola) 55–70.

DISTRIBUTION MAPS, *Adelphicos veraepacis* group in Guatemala 421; *Coleonyx switaki* 144; 9 spp. of *Dendrophidion* in Central and South America 167, 1971; North American spp. of *Elgaria* 155; *Plethodon petraeus* 140; *Thamnophis sirtalis* (melanistic form in Lake Erie area) 453.

ECOLOGY, *Anolis aeneus* (juvenile habitat and territory choice) 369–376; *Gopherus polyphemus* (foraging ecology) 345–353; *Testudo kleinmanni* (home range and seasonal movements) 354–359.

ERYTHROCYTES, enucleated in several diminutive bolitoglossine salamanders 243–250.

FOSSILS, *Trachemys* 317–325.

FRACTIONATION, *Crotalus viridis luctosus* venom 71–85.

GENETIC DIVERGENCE, *Sceloporus grammicus* complex 297–307; sooglossid frogs 113–119.

GEOGRAPHIC VARIATION, *Cnemidophorus tigris* (intergradation between 2 ssp. in Utah) 176–185; *Coleonyx switaki* 143–154; *Elgaria* spp. (Baja California) 431–439; 2 spp. of Brazilian *Geochelone* (body dimensions) 209–217; *Thamnophis sirtalis* (color polymorphism in Lake Erie area) 451–458.

GLANDS, *Hyla cinerea* (role of skin mucous glands in reducing evaporative water loss) 251–257.

GROWTH, *Desmognathus quadramaculatus* (larvae) 218–227; *Notophthalmus viridescens dorsalis* (larvae) 234–242; *Sphenodon punctatus* (estimated from skeletochronology) 25–37.

HABITAT, *Anolis aeneus* (juvenile habitat selection) 369–376; *Coleonyx switaki* 143–154; *Pituophis melanoleucus* in New Jersey (habitat selection) 48–55; *Plethodon petraeus* 135–143; *Testudo kleinmanni* (Israel) 354–359.

HEMIPENES, *Sistrurus ravus* (compared with other *Sistrurus* and *Crotalus*) 123–126.

HOME RANGE, *Plethodon vehiculum* 377–386; *Testudo kleinmanni* (Israel) 354–359.

HYBRIDS, *Bufo microscaphus* × *B. woodhousii* (Arizona) 325–333; *Crotalus s. scutulatus* × *C. v. viridis* (Texas) 119–123.

INTERGRADATION, *Cnemidophorus tigris* (between 2 ssp. in Utah) 176–185.

LARVAE, *Desmognathus quadramaculatus* (growth and age classes in 3 North Carolina populations) 218–227; *Notophthalmus viridescens dorsalis* (sizes, growth, and transformation) 234–242.

LIFE HISTORY, *Desmognathus quadramaculatus* (3 North Carolina populations) 218–227.

LONGEVITY, *Podarcis muralis* (SW France) 38–47.

METAMORPHOSIS, *Desmognathus quadramaculatus* (age in 3 North Carolina populations) 218–227; *Notophthalmus viridescens dorsalis* (size related to larval density) 234–242.

MIMICRY, red-cheek and red-leg *Desmognathus ochrophaeus* 185–189.

MORPHOLOGY, *Cnemidophorus tigris* (intergra-

dation between 2 ssp.) 176–185; *Coleonyx switaki* (geographic variation) 143–154; 8 spp. of *Dendrophidion* compared 162–175; *Desmognathus ochrophaeus* (red-leg and red-cheek color morphs) 185–189; *Geochelone carbonaria* and *G. denticulata* (sexual dimorphism in body dimensions) 209–217; *Lepidophyma* (scale surface microstructure in 4 spp.) 281–289; *Notophthalmus viridescens dorsalis* (larval and adult body sizes) 234–242.

PHENOLOGY, *Notophthalmus viridescens dorsalis* (reproductive) 234–242.

PHYLOGENY, genera of bolitoglossine salamanders (showing distribution of enucleate erythrocytes) 247; Carettochelyidae 440–450; 5 spp. of *Elgaria* (cladistic analysis of allozyme data) 154–162; *Sceloporus grammicus* complex 304; 6 spp. of Seychellean caecilians (evidence for monophyly) 290–296; 3 spp. of sooglossid frogs 116; spp. of *Triturus* 307–316; xantusiid lizards (microstructure of dorsal scales) 281–289; Hispaniolan xenodontine snakes (phylogenetic component of trophic ecology) 55–70.

PHYSIOLOGY, *Hyla cinerea* and *Bufo valliceps* (reduction of cutaneous evaporative water loss) 251–257; *Hyla cinerea* and *Rana sphenocephala* (time constants of cooling compared) 261–265.

POLYMORPHISM, *Thamnophis sirtalis* (striped and melanistic morphs in the Lake Erie area) 451–458.

POPULATION DENSITY, *Crotalus viridis* and *Pituophis melanoleucus* (SW Idaho) 228–233; *Notophthalmus viridescens dorsalis* (seasonal density of larvae and adults) 234–242; *Podarcis muralis* (SW France) 38–47.

POPULATION SIZE, *Geochelone carbonaria* and *G. denticulata* on Ilha de Maraca, Brazil (mark-recapture) 209–217.

PREDATION, *Crotalus viridis* and *Pituophis melanoleucus* (consumption rates, annual predation rates, and production efficiencies in SW Idaho) 228–233.

PREY SELECTION, *Hyla cinerea* (visual cues) 18–24.

RADIOTELEMETRY, *Morelia spilota* 396–404; *Pituophis melanoleucus* (New Jersey) 48–55; *Testudo kleinmanni* (Israel) 354–359.

REPRODUCTION, *Desmognathus ochrophaeus* (postmating recovery of female sexual responsiveness) 334–337; *Desmognathus quadramaculatus* (age at first reproduction in 3 North Carolina populations) 218–227; *Holbrookia propinqua* (oviduct anatomy and sperm storage) 190–197; *Morelia spilota* 396–404; *Notophthalmus viridescens dorsalis* (reproductive phenology) 234–242; *Phyllomedusa atelopoides* 91–95; *Podarcis muralis* in SW France (age at maturity, frequency and size of clutches) 38–47; *Sauromalus obesus* (male cycle) 404–415; *Telmatobufo bullocki* (tadpole described) 458–460; *Varanus indicus* (reproductive ecology on Guam) 338–344.

SCALE EVOLUTION, xantusiid lizards 281–289.

SEX DETERMINATION, *Emydura macquarii* (not influenced by incubation temperature and water potential) 86–90.

SEX RATIO, *Geochelone carbonaria* and *G. denticulata* (Ilha de Maraca, Brazil) 209–217.

SKELETOCHRONOLOGY, *Sphenodon punctatus* 25–37.

SKIN, *Hyla cinerea* (role of mucous glands in lowering cutaneous evaporative water loss) 251–257.

SONOGRAM, *Afrixalus brachycnemis* 4; *Phyllomedusa atelopoides* 91–95.

SPERM STORAGE, in oviduct of *Holbrookia propinqua* 190–197.

SYSTEMATICS, genera of Carettochelyidae 440–450; *Peltochelys duchastelli* (relationships) 440–450; Seychellean caecilians (karyology) 290–296; *Trachemys* (fossil spp.) 317–325.

TADPOLE, *Phyllomedusa atelopoides* 91–95; *Telmatobufo bullocki* 458–460.

TAXONOMY, *Adelphicos ibarrorum* (new sp. from SC Guatemala) 416–422; *Ambystoma lacustris* (junior synonym of *A. velasci*) 427–430; *Bolitoglossa resplendens* (junior synonym of *B. lincolni*) 105–108; *Coleonyx switaki gypsicolus* (new insular ssp. from Baja California Sur) 143–154; status of *Dendrophidion dendrophis* and *D. nuchalis* 162–175; rediscovery and identity of *Oreodeira gracilipes* (junior synonym of *Agama agama africana*) 108–113; *Eleutherodactylus izecksohni* (new sp. from SE Brazil) 423–426; *Elgaria* (geographic variation, species, and biogeography in Baja California) 431–439; *Phyllomedusa atelopoides* (new sp. from S Peru) 91–95; *Plethodon petraeus* (new sp. of *P. glutinosus* group from Georgia) 135–143; *Sceloporus grammicus* complex (genetic distances among 3 cytotypes) 297–307; genetic separation of *Sistrurus* and *Crotalus* questioned (hemipenes) 123–126; *Sphaerodactylus ladae* and *S. perissodactylius* (new spp. from Hispaniola) 96–104.

TERRITORIALITY, *Anolis aeneus* (juvenile territory selection) 369–376; *Plethodon cinereus* (gravid vs. non-gravid females) 203–209; *Plethodon cinereus* (male territorial disputes related to food) 386–391; *Plethodon vehiculum* (spacing and movements) 377–386.

THERMAL RELATIONS, *Gekko gecko* (thermoregulatory behavior) 266–273; *Pituophis melanoleucus* (New Jersey) 48–55.

THERMAL TIME CONSTANTS, *Hyla cinerea* and *Rana sphenocephala* compared 261–265.

VENOM, *Crotalus viridis lutosus* 71–85.

VOCALIZATION, *Afrixalus brachycnemis* (functional partitioning of advertisement call) 1–7; hybrid *Bufo microscaphus* × *B. woodhousii* (release calls) 325–333; *Smilisca sila* (calling pattern related to ambient light) 8–10.